PAX-0300





Introduction:

The SLA03 Linear Actuator is designed for fast and efficient extension, making it ideal for electric gates, automatic windows, and other home automation systems. With a 6000N force capacity and a travel speed of 5mm/s under no load, it offers smooth, reliable performance for a variety of automation applications.

Key Feature:

- High Thrust: Provides up to 6000N force for powerful performance.
- Fast Speed: No-load speed of 5mm/s for quick movement.
- Multiple Strokes: Available in 100-500mm stroke lengths.
- Strong Build: Durable metal construction for long life.
- Low Voltage: Runs on 12V DC for safe, efficient use.
- Stroke Switch: Built-in switch for accurate control.
- Wide Temp Range: Operates in -26°C to 65°C environments.
- IP54 Protection: Resists dust and water splashes.
- Modern Look: Sleek silver finish for a pro-grade appearance.



Specification:


Model	PAX-0300
Material	Metal
Voltage	12V DC
Max Push/Pull Force	Approx. 6000N
Stroke Options	100mm, 200mm, 250mm, 350mm, 400mm, 450mm, 500mm
No-Load Speed	Max 5mm/s (0.2 inches/s)
Rated Load Rate	5mm/s at 60 kg (132.3 lbs)
Operating Temp.	−26°C to 65°C (−4°F to 145°F)
Protection Level	IP54 (Dust and water-resistant)
Stroke Switch	Built-in
Color	Silver

Applications:

- Home Automation
- Automotive
- Medical Equipment
- Industrial & Engineering
- Agriculture
- Furniture
- Specialty Systems




Drawing:







Product Size:





Stroke Length:





Product Detail:

